



MERIDIAN FLOOR LAMP

ASSEMBLY & INSTALLATION INSTRUCTIONS


UNITED STATES ENGLISH

MERIDIAN FLOOR LAMP**PARTS INCLUDED**

- (A) Wrench (1)
- (B) Allen Wrench (1)
- (C) Hex Screws (6)
- (D) Metal Conical Rods (3)
- (E) Alabaster Lampshade D450mm (1)
- (F) Alabaster Lampshade D550mm (1)
- (G) Bulbs (4)
- (H) Screw Nut (1)
- (I) Metal Plate (1)
- (J) Nut (1)
- (K) Rubber Gaskets (4)
- (L) Metal Gaskets (2)
- (M) Screw Nuts (2)
- (N) Metal Rings (2)
- (O) Nuts (2)
- (P) Metal Ring (1)

PRODUCT DESCRIPTION

- Width: 35.43 in. (90 cm)
- Height: 72.05 in. (183 cm)
- Length: 35.43 in. (90 cm)
- Weight: 58.42 lb. (26.5 kg)



IMPORTANT: PLEASE READ**IMPORTANT SAFETY FEATURES**

- (1) Use an authorized and certified electrician for consultation and installation.
- (2) This fixture has been rated for four (4) 8-watt-maximum E26 type T bulbs.
- (3) To avoid the risk of fire, do not exceed the recommended wattage.
- (4) The manufacturer and distributor accept no liability for incorrect installation.
- (5) For indoor use only.
- (6) Keep away from children.

BULBS

This fixture has been rated for up to four (4) 8-watt-maximum type E26 incandescent lightbulbs. To avoid the risk of fire, do not exceed the recommended wattage.

DIMMER SWITCH COMPATIBILITY

This fixture is not dimmer-switch compatible.

WARNINGS

- (1) Turn off electrical supply at main circuit panel before installing. Do not connect electrical supply until your fixture is fully assembled and installed.
- (2) All wires are connected. Do not remove the fixture from its packaging by pulling on the power cord, as a bad connection may result.
- (3) To reduce the risk of fire, electrical shock, or personal injury, always turn off the light and allow it to cool prior to replacing lightbulbs. Do not touch the bulbs when the fixture is turned on or look directly at lightbulbs. Keep flammable materials away from lightbulbs.
- (4) Deviation from instruction may result in a risk of fire or electric shock.

WARNING: STRANGULATION HAZARD

Keep cord at least 3 feet away from cribs, bassinets, and toddler beds. Keep out of reach of children under 3 years of age.

THIS PRODUCT IS NOT A TOY AND HAS NO PLAY VALUE.

ASSEMBLY AND INSTALLATION**SHUT OFF THE MAIN ELECTRICAL SUPPLY FROM THE FUSE BOX OR CIRCUIT BREAKER PANEL.**

- (1) Carefully remove the parts from the carton and place them on a flat surface. Please make sure that you have all the parts indicated before you begin to assemble this item.
- (2) Unscrew the Nut (J), then use Wrench (A) to unscrew the Screw Nut (H). Unlock the Metal Plate (I).
- (3) Attach three Metal Conical Rods (D) to Metal Plate (I) with Hex Screws (C), tightening with Allen Wrench (B).
- (4) Attach the two parts of lamp body. Affix with Screw Nut (H), Metal Ring (P), and Nut (J), in that order.
- (5) Insert Light Bulbs (G) into the sockets.
- (6) Position the Alabaster Lampshades (E and F) against the lamp. To each side of the Alabaster Lampshades, affix, in the following order: Rubber Gasket (K), Metal Gasket (L), Screw Nut (M), Metal Ring (N), and Nut (O).
- (7) Restore power and test lamp.

CARE INSTRUCTIONS

Do not use polishes or cleaners on the fixture. Wipe clean with a soft, dry cloth.